



Skylights



**Revised  
2026  
Pricing**  
Effective Upon  
Receipt

# 2026 Price List

Residential Skylights and Sun Tunnel® Skylights

**Effective March 2, 2026**

All retail prices are not valid in Alaska, Hawaii, or Mexico due to additional freight cost.

# Contents

<b>8</b>	<b>Deck-Mounted Skylights</b>	
	VSS Solar Venting Skylight System	8
	VSE Electric Venting Skylight System	8
	VS Manual Venting Skylight System	8
	FS Fixed Skylight System	8
	Standard Size Flashing Options	9
<b>10</b>	<b>Curb-Mounted Skylights</b>	
	VCS Solar Venting Skylight System	10
	VCE Electric Venting Skylight System	10
	VCM Manual Venting Skylight System	10
	FCM Fixed Skylight System	11
	Standard Size Flashing Options	11
	FCM Fixed – Stocked Custom Size Skylight	12
	FCM Fixed – Custom Size Skylight System	13
	GSM Fixed – Stocked & Custom Size Skylight	14
<b>15</b>	<b>Self-Flashed Skylights</b>	
	QPF Fixed Skylight System	15
	EVMS Custom Size Solar Venting Skylight	16
	EV Custom Size Manual Venting Skylight	16
	EF Custom Size Fixed Skylight	17
<b>18</b>	<b>Skylight Accessories</b>	
	Home Automation	18
	Installation Accessories	18
	Remotes & Electric	18
	Manual Controls	19
	Skylight & Roof Window Shades	19
<b>20</b>	<b>Flat Roof Skylights</b>	
	FXG Curb-Mounted Acrylic Double Dome	20
	CXP Domed Polycarbonate Hatch	20
	CFU CurveTech Glass	21
<b>22</b>	<b>Roof Windows</b>	
	GPU Top-Hinged	22
	GXU Roof Access	23
	GDL Balcony	24
	GGU Center-Pivot	25
<b>26</b>	<b>Sun Tunnel® Skylights</b>	
	Rigid/Flex Tube	26
	Accessories	27



## VELUX Online Dealer Support

### Dealer Extranet

The VELUX Dealer Extranet has everything you need to complete your VELUX orders. Through our online dealer extranet, you can:

- Create quick quotes
- Track your orders
- Locate product data
- Process returns
- And so much more!

Use your phone's camera to scan the QR code below to access the Dealer Support Center today.



DEALER EXTRANET  
dealerextranet3.veluxusa.com

### Skylight Measurement Guide

A guide for identifying and measuring:

- Curb-mounted skylights
- Deck-mounted skylights
- Top-hinged roof windows



MEASUREMENT GUIDE

## How to Order Your Product



**Online - Dealer Extranet<sup>1</sup>**  
dealerextranet3.veluxusa.com

Hours of Operation  
24 hours a day, 7 days a week



**Email**  
ordersusa@velux.com



**Call Residential**  
1-800-888-3589

Hours of Operation (ET)  
(Mon - Fri) 7:30 a.m. - 8 p.m.  
(Sat) 9 a.m. - 5 p.m.



**Call/Email Commercial**  
1-888-878-3589  
commercialteam@velux.com

Hours of Operation (ET)  
(Mon - Fri) 7:30 a.m. - 8 p.m.  
(Sat) 9 a.m. - 5 p.m.

<sup>1</sup> Dealer Extranet allows a dealer to order products and perform routine inquiries 24/7 using real-time pricing and inventory availability.

## Plan for Delivery Time

- S** In-stock at regional warehouses  
**Allow 2 - 6 bus. days**
- A** In-stock at Sparks, NV region  
**Allow 2 - 5 bus. days; other areas call for availability**
- B** At Sparks, NV and White Marsh, MD  
**Allow 2 - 7 bus. days**
- C** In-stock at Greenwood, SC and Kent, WA regions  
**Allow 2 - 7 bus. days**
- T** Trans-shipped from central warehouse  
**Allow 7 - 12 bus. days**
- F** In-stock at Greenwood, SC and Sparks, NV regions  
**Allow 2 - 6 bus. days; other areas allow 7 - 10 bus. days**
- G** In-stock at Greenwood, SC, Aurora, IL, and Sparks, NV  
**Allow 2 - 5 bus. days; other areas allow 5 - 7 bus. days**
- R** Not stocked; Manufactured on demand  
**Allow approximately 10 bus. days**
- D** Not stocked; Manufactured on demand  
**Allow approximately 26 bus. days**
- N** Not stocked; Manufactured on demand  
**Allow approximately 37 bus. days**
- L** Not Stocked; Manufactured on demand  
**Allow approximately 50 bus. days**

Please note: large orders may be subject to additional ship times

## Order Code Examples

 Skylights  $\frac{\text{VSS}}{\text{product}} + \frac{\text{C01}}{\text{size}} + \frac{\text{2004S}}{\text{code}}$

 Sun Tunnel Skylights  $\frac{\text{TMR}}{\text{product}} + \frac{\text{010}}{\text{size}} + \frac{\text{0000}}{\text{code}} + \frac{\text{SL}}{\text{light}}$



The VELUX Skylight System

# The Ultimate Skylight Experience

\*Remote shown is an optional upgrade to VELUX Touch.



## Our Best Skylight Is Now Even Better

- ① **Glass Skylight**  
The base of the VELUX Skylight System is our world-famous skylight! With multiple installation options, the skylight can be fixed or venting to provide fresh air. Venting models are available in solar-powered (pictured below), electric, and manual operations.
- ② **Solar-Powered Shade**  
The included room-darkening skylight shade is solar-powered and offers total light control, increasing the Skylight System's energy performance up to 46%\*.  
\*Performance up to 46% U-Value, 43% SHGC. Actual percentage varies by skylight model and size.
- ③ **Remote Controls**  
Each shade included in a Skylight System comes with a factory-paired remote control for easy set-up and operation. Electric and solar venting Skylight Systems also include a pre-paired remote to open and close the skylight.  
Remote upgrades available include VELUX ACTIVE and VELUX Touch, see page 7. Manual venting Skylight Systems can be operated with a handle or control rod, sold separately.
- ④ **Standard Safety Glass**  
Designed for durability and comfort, our laminated glass includes a high-performance Low-E coating, is dual-sealed and filled with argon gas to improve insulation, and comes with a 10-year warranty against hail damage.  
Tempered and impact glass options available for special order.
- ⑤ **Rain Sensors**  
Each solar and electric venting Skylight System features an integrated rain sensor to close the skylight automatically at the first signs of inclement weather.
- ⑥ **Insect Screens**  
Every venting Skylight System includes an insect screen to prevent bugs and debris from entering the home through an open skylight.
- ⑦ **Weathertight Guarantee**  
VELUX flashing is required to create a weathertight seal around deck- and curb-mount Skylight Systems, as well as to qualify for our 10-year installation warranty.  
Flashing kits packaged and sold separately.



## VELUX SKYLIGHT SYSTEM

Skylight + Shade + Remote

### Why Skylight Shades?

It's simple: a skylight isn't complete without a shade! VELUX skylights have always provided abundant natural light, and now it is the standard that they also provide light control. Not only does this create a better user experience, adding solar-powered shades to skylights also improves their energy efficiency and helps create an overall more sustainable home.

### Shades Benefits for Pros

- The competitively priced VELUX Skylight System – a skylight with a shade – satisfies a top homeowner desire (light and climate control) while increasing your profit.
- Increased engagement with the Skylight System through daily shade use helps drive referrals from your existing customers to new ones and distinguishes you from other local installers.
- With everything included, the Skylight System reduces the number of purchase choices for you to present and homeowners to make.
- Shade remotes are pre-paired and flashing is sold and packaged separately but shipped with the skylight and shade, so the Skylight System is ready to be installed on site.

### Shades Benefits for Homeowners

- Preinstalled solar-powered shades deliver the ideal homeowner experience – total control over light and glare in the home.
- Skylight shades also offer climate control, blocking out heat in the hot summer sun and keeping more heat in during cold winters.
- Solar-powered shades increase skylight energy efficiency while natural light and ventilation from skylights allow homeowners to rely less on electricity.

# Quick Reference Guide

## Types of Installation

### Deck-Mounted

Skylight is nailed directly to the roof-deck



### Curb-Mounted

Skylight is installed on top of a site-built curb or frame attached to the roof




### Self-Flashed

Flashing is integrated into the skylight, so no additional kit is needed



## Flashing Systems Sold separately. Available for standard sizes only.


### Deck-Mounted



Shingles/Shakes/Slate | Tile | Metal | Combi Applications | Bi-pack Counterflashing

**EDL** Copper EDL | **EDW** | **EDM** | **EKL** Low-Profile | **ECB** Bi-pack Counterflashing  
**EKW** High-Profile

### Curb-Mounted



Shingles/Shakes/Slate | Tile

**ECL** | **ECW**

## Roof Pitch

Roof Pitch	Model	Page
Flat Roof	0° - 15° 0:12 - 3:12	CFU 21, CXP 20
	0° - 60° 0:12 - 20:12	VCS 10, VCE 10, VCM 10, FCM 11-13, TZR 26, TCR 26, FXG 20
	1° - 60° 1/4:12 - 20:12	GSM 14
Pitched Roof	10° - 60° 2:12 - 20:12	QPF 15, TZRL 26, TZRQ 26
	14° - 60° 3:12 - 20:12	TLR 26, TMR 26, TGR 26, TMF 26, TGF 26, TSR 26
	14° - 85° 3:12 - 137:12	VSS 8, VSE 8, VS 8, FS 8, EVMS 16, EV 16, EF 17
	15° - 55° 3:12 - 17:12	GPU 22
	15° - 85° 3:12 - 137:12	GXU 23
	15° - 90° 3:12 - 137:12	GGU 25
	35° - 53° 8.4:12 - 15:12	GDL 24
		<ul style="list-style-type: none"> <li>● Deck-Mounted Skylight</li> <li>● Curb-Mounted Skylight</li> <li>● Self-Flashed Skylight</li> <li>● Sun Tunnel® Skylight</li> <li>● Flat Roof Skylight</li> <li>● Roof Window</li> </ul>

## Glass Options

**Standard Safety Glass (xx04)**  
This laminated glass is standard on all FS, VS, VSS, VSE, VCS, VCE, FCM, VCM, QPF, EV, EF, EVMS models. Includes 5-year hail warranty.

**Tempered Glass (xx05)**  
Available with FCM only.

**Impact Glass (xx06)**  
Our toughest glass, resistant to penetration from wind-borne debris.

**White Laminated Glass (xx08)**  
Diffuses 100% of light flowing to the space below.

**Snowload Glass (xx10)**  
Reinforced glass to withstand added weight from accumulated snow.

## Remote Comparison

Each electric or solar venting skylight system – or any solar shade included in a skylight system – comes with a factory-paired remote control for easy setup and operation. Electric and solar venting skylight systems also include a pre-paired remote to open and close the skylight. Upgrade options include VELUX Touch, VELUX App Control, and VELUX ACTIVE.

### VELUX Wall Switch



For customers who want simple control over a single or group of skylights or shades in one room.

### VELUX Touch



**KLR 300 WW**  
For customers who want simple control over multiple skylights and shades with one remote.

### VELUX App Control



**KIG 300 US**  
For customers who wish for more benefits and smartphone control without full automation.

### VELUX ACTIVE



**KIX 300 US**  
For customers who wish to improve indoor air quality while gathering insights with smart automated ventilation and climate control.


Price	Included with Product	\$166	\$166	\$316
Remote Operation Inside the Room	✓	✓	✓	✓
Remote Operation from Anywhere			✓	✓
Operate Multiple Ungrouped Products		✓	✓	✓
Requires Wi-Fi Connection			✓	✓
Compatible with Apple HomeKit® and Google Assistant™			✓	✓
Group Products		✓	✓	✓
Ventilation Timer		✓	✓	✓
Lock Home Option (close all skylights)		✓	✓	✓
Accessible to All Household Members	✓	✓	✓	✓
Scheduling to Personal Preferences			✓	✓
Voice Control			✓	✓
Sensor-based Automation				✓
Use of Weather Data				✓
Live Indoor Sensor Data				✓

## The VELUX Skylight Guarantee

Our skylight warranty is our commitment that VELUX skylights installed with our flashing will stand strong in all types of weather. We're able to make this commitment with a 10-year installation warranty backed by our patented three layers of water protection on deck- and curb-mounted skylights.



Deck-Mounted



Curb-Mounted

- 1 Pre-Attached Seal**  
Pre-attached deck seal (deck-mounted) or gasket (curb-mounted) provides a tight seal for leak-proof installation.
- 2 Adhesive Underlayment**  
Adhesive underlayment for secondary water protection against the harshest weather conditions.
- 3 Engineered Flashing**  
Engineered flashing for easy installation and primary water protection. See page 6 for flashing systems.

# Deck-Mounted Skylight System – VSS, VSE, VS, FS

## Skylight System Includes Skylight, Solar-Powered Shade, and Remote Control



**VELUX Skylight System Prices Include Skylight, Shade, and Remote Control** Order Code Example  $\frac{\text{VSS}}{\text{product}} + \frac{\text{C06}}{\text{size}} + \frac{\text{2004S}}{\text{code}}$

### Standard Sizes – VSS, VSE, VS, FS

(W-in. x H-in.)	A06	C01	C04	C06	C08	C12	D26	D06	M02	M04	M06	M08	S01	S06
Skylight + Shade + Remote														
Outside Frame	15 1/4 x 46 1/4	21 1/2 x 27 3/8	21 1/2 x 38 3/8	21 1/2 x 46 1/4	21 1/2 x 54 15/16	21 1/2 x 70 3/4	23 1/4 x 23 7/16	23 1/4 x 46 1/4	30 9/16 x 30 1/2	30 9/16 x 38 3/8	30 9/16 x 46 1/4	30 9/16 x 54 15/16	44 3/4 x 27 3/8	44 3/4 x 46 1/4
Rough Opening	14 1/2 x 45 3/4	21 x 26 7/8	21 x 37 7/8	21 x 45 3/4	21 x 54 7/16	21 x 70 1/4	22 1/2 x 22 15/16	22 1/2 x 45 3/4	30 1/16 x 30	30 1/16 x 37 7/8	30 1/16 x 45 3/4	30 1/16 x 54 7/16	44 1/4 x 26 7/8	44 1/4 x 45 3/4

### Base Model – VSS, VSE, VS, FS Standard Safety Glass

Code 2004S   Delivery S	A06	C01	C04	C06	C08	C12	D26	D06	M02	M04	M06	M08	S01	S06
VSS Solar Venting	–	\$1,692	\$1,777	\$1,845	\$1,900	–	–	–	\$1,812	\$1,886	\$1,983	\$2,090	\$1,994	\$2,269
VSE Electric Venting	–	\$1,692	\$1,777	\$1,845	\$1,900	–	–	–	–	\$1,886	\$1,983	\$2,090	\$1,994	\$2,269
VS Manual Venting	–	\$919	\$969	\$1,008	\$1,042	–	–	–	\$999	\$1,033	\$1,089	\$1,173	\$1,092	\$1,295
FS Fixed	\$640	\$600	\$648	\$691	\$723	\$848	\$627	\$703	\$680	\$714	\$772	\$817	\$776	\$907

### Optional Models – VSS, VSE, VS, FS <sup>1</sup> Add cost to base model price

	Impact Glass <sup>2</sup>	Copper Cladding	Snowload Glass	Stain Grade Wood Interior <sup>3</sup>
VSS Solar Venting	Special order, contact Customer Service for pricing	N/A	Special order, contact Customer Service for pricing	+ \$62 <sup>3</sup> (See details below) Code 0004S   Delivery T
VSE Electric Venting	Special order, contact Customer Service for pricing	Special order, contact Customer Service for pricing	Special order, contact Customer Service for pricing	Special order, contact Customer Service for pricing
VS Manual Venting	Special order, contact Customer Service for pricing	Special order, contact Customer Service for pricing	Special order, contact Customer Service for pricing	+ \$62 <sup>3</sup> (See details below) Code 0004S   Delivery T
FS Fixed	+ \$125 <sup>2</sup> (See details below) Code 2006S   Delivery T	Special order, contact Customer Service for pricing	Special order, contact Customer Service for pricing	+ \$62 <sup>3</sup> (See details below) Code 0004S   Delivery T

Unless noted, all base models include pre-installed room-darkening, double pleated white (1045) shade. Special order shades must be purchased separately. See page 19 for special order shade options. <sup>1</sup> Lead time/size availability may vary from base model. <sup>2</sup> FS C04, C06, M06, M08, and S06 sizes stocked Other standard sizes, excluding C12, available as special order. <sup>3</sup> VSS/VS/FS C04, C06, M06, M08, and S06 sizes stocked. VSE and other VSS/VS/FS standard sizes available as special order.

### Deck-Mounted Single Unit Flashing

Adhesive underlayment included. VELUX flashing required for the 10-Year Installation Warranty and to complete the Skylight System.

	A06	C01	C04	C06	C08	C12	D26	D06	M02	M04	M06	M08	S01	S06
Step Asphalt Shingles/Wood Shake/Slate 1/2 in. max thickness Code EDL   Delivery S	\$112		\$119			\$150		\$126			\$130			\$143
Copper Step <sup>1</sup> Asphalt Shingles/Wood Shakes/Slate 1/2 in. max thickness Code EDL COPPER   Delivery D	\$236		\$252			\$317		\$267			\$275			\$302
High Profile Tile - over 3/4 in. thickness Code EDW   Delivery S	–		\$214			\$252		\$265			\$252			\$315
Metal Roof Code EDM   Delivery S	\$348		\$382			\$423		\$395			\$410			\$434
Biepak <sup>2</sup> Counter Flashing for Deck-Mounted Code ECB   Delivery S	–		\$257		\$257		–				\$293			\$311

<sup>1</sup> Copper flashing only compatible with copper skylight units. <sup>2</sup> Adhesive underlayment not included.

### Deck-Mounted Combi-Flashing

Combi-Flashing allows for large installations of multiple skylights. Scan the Measurement Guide QR code on page 3 for measurement instructions.

- Must specify vertical gutter spacing when ordering. May be from 2 1/2" to 12" in 1/2" increments
- Only the 2 1/2", 3", 3 1/2" and 4" gutters are stocked; all other widths are special order and carry a 15-day production time
- Over/under combinations have 4" horizontal gutter only
- EKW has 4" gutter side by side configuration only
- Gutter widths listed are frame to frame – Rough Opening to Rough Opening will be 1/2" larger – Example: 3" listed gutter = 3 1/2" RO to RO



Many other combinations can be made beyond what is shown above. Call Customer Service for more configuration options and pricing. EKL low-profile flashing is compatible with shingles and shakes, while EKW high-profile flashing is designed for use with tile roofing.

	Delivery T	C01	C04	C06	C08	C12	M02	M04	M06	M08	S01	S06
1 by 2	EKL Low-Profile		\$340						\$371			\$420
1 by 3	EKL Low-Profile		\$561		\$592			\$612				\$697
2 by 1	EKL Low-Profile		\$349		\$421			\$373				\$417
	EKW High-Profile		Call			–		Call				
2 by 2	EKL Low-Profile		\$827		\$899			\$888				\$996
2 by 3	EKL Low-Profile		\$1,305		\$1,377			\$1,403				\$1,575
3 by 1	EKL Low-Profile		\$540		\$612			\$575				\$637
	EKW High-Profile		Call			–		Call				
3 by 2	EKL Low-Profile		\$1,244		\$1,316			\$1,329				\$1,479
4 by 1	EKL Low-Profile		\$731		\$803			\$777				\$857
	EKW High-Profile		Call			–		Call				

Measurement must be taken from rough opening to rough opening. Large orders may require longer lead times. Combi-flashings are not available for models FCM, VCM, VCE, QPF, or VCS. \* VSS is not available in 1 by 3 or 2 by 3 configurations due to the solar panel.

# Curb-Mounted Skylight System – VCS, VCE, VCM

Skylight System Includes Skylight, Solar-Powered Shade, and Remote Control



VELUX Skylight System Prices Include Skylight, Shade, and Remote Control

Order Code Example  $\frac{\text{VCS}}{\text{product}} + \frac{2246}{\text{size}} + \frac{2004S}{\text{code}}$

## Standard Sizes – VCS, VCE, VCM

(W-in. x H-in.)	2222	2234	2246	3030	3046	3434	3737	4622	4630	4646
Skylight + Shade + Remote										
Inside Curb	22 1/2 x 22 1/2	22 1/2 x 34 1/2	22 1/2 x 46 1/2	30 1/2 x 30 1/2	30 1/2 x 46 1/2	34 1/2 x 34 1/2	37 1/2 x 37 1/2	46 1/2 x 22 1/2	46 1/2 x 30 1/2	46 1/2 x 46 1/2
Outside Curb	25 1/2 x 25 1/2	25 1/2 x 37 1/2	25 1/2 x 49 1/2	33 1/2 x 33 1/2	33 1/2 x 49 1/2	37 1/2 x 37 1/2	40 1/2 x 40 1/2	49 1/2 x 25 1/2	49 1/2 x 33 1/2	49 1/2 x 49 1/2
Maximum Skylight Clearance	26 5/8 x 26 5/8	26 5/8 x 38 5/8	26 5/8 x 50 5/8	34 5/8 x 34 5/8	34 5/8 x 50 5/8	38 5/8 x 38 5/8	41 5/8 x 41 5/8	50 5/8 x 26 5/8	50 5/8 x 34 5/8	50 5/8 x 50 5/8

## Base Model – VCS, VCE, VCM Standard Safety Glass

Code 2004S   Delivery S	2222	2234	2246	3030	3046	3434	3737	4622	4630	4646
VCS Solar Venting	\$1,685	\$1,792	\$1,875	\$1,896	\$1,991	\$1,966	\$1,978/F	\$1,875	\$1,991/F	\$2,113
VCE Electric Venting	\$1,685	\$1,792	\$1,875	\$1,896	\$1,991	\$1,966	–	–	–	\$2,113
VCM Manual Venting	\$876	\$969	\$1,026	\$1,080	\$1,293	\$1,193	–	–	–	\$1,444

## Optional Models – VCS, VCE, VCM, FCM<sup>1</sup> Add cost to base model price

	Impact Glass	White Laminated Glass	Triple Pane Glass	Tempered Glass
VCS Solar Venting	+ \$120 See details below <sup>2</sup> Code 2006S   Delivery T	Special order, contact Customer Service for pricing	–	–
VCE Electric Venting	–	–	–	–
VCM Manual Venting	Special order, contact Customer Service for pricing	Special order, contact Customer Service for pricing	–	–
FCM Fixed	+ \$120 See details below Code 2006S   Delivery T <sup>3</sup>	+ \$40 See details below Code 2008S   Delivery B <sup>4</sup>	Special order, contact Customer Service for pricing <sup>5</sup>	See pricing table page 11

Unless noted, all base models include pre-installed room-darkening, double pleated white (1045) shade. Special order shades must be purchased separately. See page 19 for special order shade options. <sup>1</sup> Lead time and size availability may vary from base model. <sup>2</sup> Excluding VCS 4646. VCS 2222 and 2246 sizes stocked. Other standard VCS/VCM sizes available as special order. <sup>3</sup> FCM 2222, 2234, 2246, 3030, 3046, 3434, and 4646 sizes stocked. Other standard sizes, excluding 2270, 3055, and 4672, are available as special order. <sup>4</sup> FCM 2222, 2234, 2246, 2270, 3030, 3046, 3434, 4622, and 4646 sizes stocked. Other standard sizes available as special order. <sup>5</sup> Shades are not available for this model.

# Curb-Mounted Skylight System – FCM



Custom sizes available, see page 12  
Shades only operate in a vertical application

## Standard Sizes – FCM (Continued)

(W-in. x H-in.)	3046	3055	3422	3434	3446	4622	4630	4646	4672	1943 <sup>1</sup>	2347 <sup>1</sup>	3171 <sup>1</sup>
Skylight + Shade + Remote												
Inside Curb	30 1/2 x 46 1/2	30 1/2 x 55 1/2	34 1/2 x 22 1/2	34 1/2 x 34 1/2	34 1/2 x 46 1/2	46 1/2 x 22 1/2	46 1/2 x 30 1/2	46 1/2 x 46 1/2	46 1/2 x 72 1/2	19 1/2 x 43 1/2	23 1/2 x 47 1/2	32 x 72
Minimum Finish Opening	29 3/16 x 45 3/16	29 3/16 x 54 3/16	33 3/16 x 21 3/16	33 3/16 x 33 3/16	33 3/16 x 45 3/16	45 3/16 x 21 3/16	45 3/16 x 29 3/16	45 3/16 x 45 3/16	45 3/16 x 71 3/16	18 3/16 x 42 3/16	22 3/16 x 46 3/16	30 11/16 x 70 11/16
Outside Curb	33 1/2 x 49 1/2	33 1/2 x 58 1/2	37 1/2 x 25 1/2	37 1/2 x 37 1/2	37 1/2 x 49 1/2	49 1/2 x 25 1/2	49 1/2 x 33 1/2	49 1/2 x 49 1/2	49 1/2 x 75 1/2	22 1/2 x 46 1/2	26 1/2 x 50 1/2	35 x 75
Maximum Skylight Clearance	34 5/8 x 50 5/8	34 5/8 x 59 5/8	38 5/8 x 26 5/8	38 5/8 x 38 5/8	38 5/8 x 50 5/8	50 5/8 x 26 5/8	50 5/8 x 34 5/8	50 5/8 x 50 5/8	50 5/8 x 76 5/8	23 5/8 x 47 5/8	27 5/8 x 51 5/8	36 1/8 x 76 1/8

## Base Model – FCM Standard Safety Glass (Continued)

Code 2004S   Delivery S	3046	3055	3422	3434	3446	4622	4630	4646	4672	1943 <sup>1</sup>	2347 <sup>1</sup>	3171 <sup>1</sup>
FCM Fixed	\$627	\$674	\$478	\$597	\$648	\$495	\$627	\$669	\$1003	\$791	\$833	\$1107

<sup>1</sup> Flashing kits are not available for this model

## Optional Models – FCM (See table page 10 for Impact, White Laminated, and Triple Pane Glass)

Tempered Glass	2222	2246	4646
Sizes 2222, 2246, and 4646 only	\$380	\$453	\$624
Code 2005S   Delivery S			

Order Code Example  $\frac{\text{FCM}}{\text{product}} + \frac{2246}{\text{size}} + \frac{2004S}{\text{code}}$

## Curb-Mounted Flashing

Adhesive underlayment included. VELUX flashing required for the 10-Year Installation Warranty and to complete the Skylight System.

	1430	1446	2222	2230	2234	2246	2270	3030	3046	3055	3422	3434	3446	3746	4622	4630	4646	4672
Step 10° – 60° Asphalt Shingles/Wood Shake/Slate 1/2 in. max thickness	\$115				\$115			\$129	\$214*		\$130	\$133		\$135				\$220*
Code ECL   Delivery S																		
High Profile 14° – 60° Tile - over 3/4 in. thickness	\$220				\$234			\$281	–		\$281	–		\$307				–
Code ECW   Delivery S																		

\*Includes extra step flashing and adhesive underlayment.

# Curb-Mounted Skylight – FCM

## Stocked Custom Sizes




### Stocked Custom FCM Fixed

Standard Sizes	1430 <sup>1,2</sup>	1446 <sup>1,2</sup>	190365	190435	225225
See illustration below for Outside Curb Range					
Flashed Outside Curb Range - Width	17 - 18 1/2	17 - 18 1/2	22 - 23 1/2	22 - 23 1/2	25 1/2 - 27
Flashed Outside Curb Range - Height	33 - 34 1/2	49 - 50 1/2	39 1/2 - 41	46 1/2 - 48	25 1/2 - 27
Maximum Skylight Clearance (W* or H*)	18 5/8 x 34 5/8	18 5/8 x 50 5/8	23 5/8 x 41 1/8	23 5/8 x 48 1/8	27 1/8 x 27 1/8
<b>Model</b>	<b>1430<sup>1,2</sup></b>	<b>1446<sup>1,2</sup></b>	<b>190365</b>	<b>190435</b>	<b>225225</b>
Laminated LowE <sup>3</sup> Glass					
<b>Code 0004</b>   Delivery C	\$290/S	\$318/S	\$550	\$602	\$441

Standard Sizes (cont.)	225470	315470	315700	315715 <sup>1</sup>	365365
See illustration below for Outside Curb Range					
Flashed Outside Curb Range - Width	25 1/2 - 27	34 1/2 - 36	34 1/2 - 36	34 1/2 - 36	39 1/2 - 41
Flashed Outside Curb Range - Height	50 - 51 1/2	50 - 51 1/2	73 - 74 1/2	74 1/2 - 76	39 1/2 - 41
Maximum Skylight Clearance (W* or H*)	27 1/8 x 51 5/8	36 1/8 x 51 5/8	36 1/8 x 74 5/8	36 1/8 x 76 1/8	41 1/8 x 41 1/8
<b>Model (cont.)</b>	<b>225470</b>	<b>315470</b>	<b>315700</b>	<b>315715<sup>1</sup></b>	<b>365365</b>
Laminated LowE <sup>3</sup> Glass					
<b>Code 0004</b>   Delivery C	\$644	\$727	\$812	\$919	\$679

<sup>1</sup> Shades are not available for sizes 1430, 1446, or 315715. Custom shade outside curb dimension (OCD) range: 20" x 49.5" width; 18.25" x 73.25" length. <sup>2</sup> Flashing kits are available for 1430 and 1446, see page 11. Flashing kits are not available for other stocked custom sizes.

### Flashed Outside Curb Range




## Skylight Systems for Undersized Curbs



### FCM Skylight System Fixed

Standard Sizes	2020	2044
See illustration below for Outside Curb Range		
Outside Curb Dimensions	24x24	24x48
Maximum Skylight Clearance	25 1/8 x 25 1/8	25 1/8 x 49 1/8
Minimum Finished Opening	19 11/16 x 19 11/16	19 11/16 x 43 11/16
<b>Model</b>	<b>2020</b>	<b>2044</b>
Laminated LowE <sup>3</sup> Glass		
<b>Code 2004S</b>   Delivery S	\$421	\$495

Standard Sizes (cont.)	3232	4444
See illustration below for Outside Curb Range		
Outside Curb Dimensions	36x36	48x48
Maximum Skylight Clearance	37 1/8 x 37 1/8	49 1/8 x 49 1/8
Minimum Finished Opening	31 11/16 x 31 11/16	43 11/16 x 43 11/16
<b>Model (cont.)</b>	<b>3232</b>	<b>4444</b>
Laminated LowE <sup>3</sup> Glass		
<b>Code 2004S</b>   Delivery S	\$597	\$669




# Curb-Mounted Skylight System – FCM

## Custom Sizes



### Custom FCM Skylight System Fixed



## How to Measure

**Provide Outside Curb Dimension (OCD)**, wood to wood. Do not include roofing and flashing material.

The skylight is manufactured to the Maximum Skylight Clearance, which is calculated by rounding the OCD up to the nearest 1/4" and adding 1" for roofing and flashing material clearance.

The shade accessory tray is designed to fit OCD dimensions with standard size curbs and typical interior finish materials totaling 4 1/8".

**For assistance with non-standard size curb or finish materials, contact Customer Service: 1-800-888-3589.**

## Custom Size FCM Options Call for pricing and availability



### Custom FCM Skylight System

- Custom FCM skylight, white room-darkening solar shade, remote control, and shade accessory tray
- Min/max OCD width 20" to 49 1/2"
- Min/max OCD length 18 1/4" to 73 1/4"
- 20 business days lead time for 04, 05, 08, 15 glazing
- 25 business days lead time for 04, 08 glazing > 72" length
- Flashing kits not available on custom FCM sizes



### Custom FCM Only

- Custom FCM skylight only
- Min/max OCD width 17 3/4" to 49 1/2"
- Min/max OCD length 17 3/4" to 75 1/4"
- 13 business days lead time for 04, 05, 08, 15 glazing
- 25 business days lead time for 04, 08 glazing > 72" length
- Flashing kits not available on custom FCM sizes



### Custom Shade Only

- Custom white room-darkening solar shade, remote control, and shade accessory tray
- Min/max OCD width 20" to 49 1/2"
- Min/max OCD length 18 1/4" to 73 1/4"
- We require exact OCD for custom shades
- Shade and accessory tray are delivered unassembled
- Up to 19 business days

• To measure, provide Outside Curb Dimension from wood to wood, do not include roofing and flashing material

• Call Customer Service for assistance: 1-800-888-3589

# Curb-Mounted Skylight – GSM

## Stocked & Custom Sizes



### Standard Sizes – GSM

(W-in. x H-in.)	4896	5199
Inside Curb	45 x 93	48 x 96
Outside Curb	48 x 96	51 x 99
Maximum Skylight Clearance	49 1/4 x 97 1/4	52 1/4 x 100 1/4


### Base Model – GSM Laminated LowE<sup>3</sup> Glass

Code 0090	4896	5199
GSM Fixed	\$2,865/B	\$2,937/R

### Optional Models

Other glass options available as custom. Lead time/size availability may vary from base model. Additional models do not apply to custom sizes.

Order Code Example  $\frac{\text{GSM}}{\text{product}} + \frac{4896}{\text{size}} + \frac{0090}{\text{code}}$



## How to Order Custom SkyMax GSM Skylights

We require exact outside curb dimensions (OCD) for width and height.

Up to 35 sq ft (OCD)

Min OCD: 17" W or H

Max OCD: 120" W or H

### GSM Custom Finish Colors

VELUX Neutral Grey finish standard. The standard finish type is a powder coat finish meeting AAMA 2604 requirements. Custom Finish colors shown are available to meet both AAMA 2604 and 2605 requirements. Other custom finish colors are available, call 1-800-888-3589 for pricing and lead time information.



### How to Place Your Order

1. \_\_\_\_\_ Width  
(dimension parallel to ridge)
2. \_\_\_\_\_ Height
3. Call **1-800-888-3589**  
(Call Customer Service for custom size pricing)

# Self-Flashed Skylight System – QPF

## Skylight System Includes Skylight, Solar-Powered Shade, and Remote Control



### VELUX Skylight System Prices Include Skylight, Shade, and Remote Control

Order Code Example  $\frac{\text{QPF}}{\text{product}} + \frac{2246}{\text{size}} + \frac{2004S}{\text{code}}$

### Standard Sizes – QPF

(W-in. x H-in.)	2222	2230	2246	3030	3046	4646
Skylight + Shade + Remote						
Outside Flashing	29 11/16 x 29 11/16	29 11/16 x 37 3/4	29 11/16 x 53 3/4	37 3/4 x 37 3/4	37 3/4 x 53 3/4	53 3/4 x 53 3/4
Rough Opening/Finished Frame	22 1/2 x 22 1/2	22 1/2 x 30 1/2	22 1/2 x 46 1/2	30 1/2 x 30 1/2	30 1/2 x 46 1/2	46 1/2 x 46 1/2

### Base Model – QPF Standard Safety Glass

Code 2004S   Delivery S	2222	2230	2246	3030	3046	4646
QPF Fixed	\$601	\$661	\$687	\$688	\$782	\$948

### Optional Models – QPF<sup>1</sup>

**Impact Glass** (Special Order)  
Contact Customer Service for pricing

Unless noted, all base models include pre-installed room-darkening, double pleated white (1045) shade. Special order shades must be purchased separately. See page 19 for special order shade options. <sup>1</sup> Lead time/size availability may vary from base model.

# Self-Flashed Skylight – EVMS, EV

Custom Sizes

Discontinued - Available While Supplies Last



**EVMS Solar**  
Fresh Air

**EV Manual**  
Fresh Air


- Ready to install right out of the box shingle/slate/wood roofs up to 3/4" thickness.
- One-piece, impenetrable ultra-seal integrated flashing.
- Requires no sealants.
- EVMS: Remote and insect screen included with EVMS skylight. Shades not available

- EV: Insect screen and operating hook included with EV skylight. Operated by ZCT 300 control rod or crank handle ZZZ 201, sold separately.
- Shades not available for EVMS, EV
- Remote upgrade to the VELUX Touch. EVMS model only. See page 7 for more information.

## How to Order Custom EVMS & EV Skylights

We require exact rough opening (RO) dimensions for width and height.

- Up to 15 sq ft
- Min RO: 22 1/4" W or H
- Max RO: 48" W or 54" H
- Delivery N



### Choose Your Glass

- Laminated  White Laminated

### Choose Your Finish Color

VELUX Neutral Grey finish standard. The standard finish type is a powder coat finish meeting AAMA 2604 requirements. Custom Finish colors shown are available to meet both AAMA 2604 and 2605 requirements. Other custom finish colors are available, call 1-888-878-3589 for pricing and lead time information.



### How to Place Your Order

1. \_\_\_\_\_ Width  
(dimension parallel to ridge)
2. \_\_\_\_\_ Height
3. Call **1-800-888-3589**  
(Call Customer Service for custom size pricing)

# Self-Flashed Skylight – EF

Custom Sizes

Discontinued - Available While Supplies Last




**EF Fixed**

- Ready to install right out of the box shingle/slate/wood roofs up to 3/4" thickness.
- One-piece, impenetrable ultra-seal integrated flashing.
- Requires no sealants.
- Shades not available for EF.

## How to Order Custom EF Skylights

We require exact rough opening (RO) dimensions for width and height.

- Up to 23 sq ft
- Min RO: 14 1/2" W or H
- Max RO: 72" W or H
- Delivery N




### Choose Your Glass

- Laminated  White Laminated

### Choose Your Finish Color

VELUX Neutral Grey finish standard. The standard finish type is a powder coat finish meeting AAMA 2604 requirements. Custom Finish colors shown are available to meet both AAMA 2604 and 2605 requirements. Other custom finish colors are available, call 1-888-878-3589 for pricing and lead time information.



### How to Place Your Order

1. \_\_\_\_\_ Width  
(dimension parallel to ridge)
2. \_\_\_\_\_ Height
3. Call **1-800-888-3589**  
(Call Customer Service for custom size pricing)

### Home Automation



#### VELUX ACTIVE

Includes Climate Sensor, Departure Switch, and Internet Gateway

Model	Price	Delivery
KIX 300 US	\$316	S



#### VELUX ACTIVE Indoor Climate Sensor

Additional sensor for other rooms with VELUX skylights

Model	Price	Delivery
KLA 300 US	\$137	S



#### VELUX ACTIVE Departure Switch

Additional departure switch

Model	Price	Delivery
KLN 300 US	\$70	S



#### VELUX App Control

Automated scheduling and smart device control of your VELUX skylights and shades.

Model	Price	Delivery
KIG 300 US	\$166	S



#### Home Automation Integration Kit

Wirelessly control up to five groups of solar/electric-powered skylights or shades

Model	Price	Delivery
KLF 200 US	\$300	S

### Remotes & Electric



#### Basic Remote Control

Remote control allows users to operate single skylight or shade from anywhere in the room

Model	Price	Delivery
KLI 310 US	\$132	S



#### VELUX Touch Remote Control

Remote control allows users to operate multiple skylights and shades with one remote from anywhere in the room, not dependent on Wi-Fi

Model	Price	Delivery
KLR 300 WW	\$166	S




#### Battery Backup

Provides limited operation of one VSE or VCE skylight during power outages

Model	Price	Delivery
KLB 100 WW	\$396	S

### Installation Accessories



#### Additional Step Flashing Deck/Curb

Deck-mounted = 14 pieces - ZZZ 200 0000  
Curb-mounted = 12 pieces - ZZZ 200 0000C


Model	Price	Delivery
ZZZ 200 0000	\$28	S
ZZZ 200 0000C	\$31	S



#### Adhesive Underlayment

9" x 26" per roll

Model	Price	Delivery
ZOZ 216L	\$54	S



#### Replacement Kit

4 pre-cut drywall groove filler pieces and 4 structural brackets. Use in deck-mounted applications. Sizes: C01, C04, C06, C08, D06, D26, M02, M04, M06, M08, S01, S06

Model	Price	Delivery
ZZZ 238 + size	\$75	S



#### Structural Brackets 4 brackets

Use in deck-mounted applications with an oversized rough opening

Model	Price	Delivery
ZZZ 219	\$30	T



#### Trim Groove Filler Kit

Three 57 1/2" pieces. One kit will work for most sizes

Model	Price	Delivery
ZZZ 213B	\$53	S



#### Shade Accessory Tray

Needed for shade installation on Fixed Curb-Mounted Skylights (2222-4646)

Model	Price	Delivery
ZZZ 199 + size	\$161	S

Also for EF skylights, excluding sizes 2239, 2254, 3054



#### Wildfire Screen

Made to meet California's strictest fire codes for new skylight installations, these screens are compatible with all our Deck-Mounted and Curb-Mounted skylights.

Model	Price	Delivery
ZZZ 256 + size	\$45 - \$96	F

### Manual Controls



#### VS/VCM Crank Handle

Operate in-reach manual venting skylight

Model	Price	Delivery
ZZZ 201 (VS)	\$15	S
ZZZ 212 (VCM)*	\$36	S

\*Includes the ZZZ 208 extension.



#### VS/VCM Replacement Hook

Replacement hook for out-of-reach manual venting skylight

Model	Price	Delivery
ZZZ 202 (VS)	\$15	S
ZZZ 211 (VCM)	\$15	S



#### Extension Chain Operator

Extension for manual crank handle or manual angle adaptor to make skylights easier to operate

Model	Price	Delivery
ZZZ 208	\$29	S



#### Angle Adaptor for Chain Operator

Used in conjunction with the manual hook for out-of-reach applications to make the skylight easier to operate with a manual pole

Model	Price	Delivery
ZZZ 203	\$46	S



#### Telescopic Rod 6'-10' Manual Skylights

For VS and VCM skylights from 1982 to present and sunscreen accessories made prior to 2010

Model	Price	Delivery
ZCT 300	\$62	S



#### Universal Extension 3'

Extension piece for telescopic rods. Extends control rods for an additional 3'

Model	Price	Delivery
ZCT 100	\$22	S

### Solar-Powered Skylight Shades

For custom sizes, colors, and/or shade type see Special Order pricing below.

#### In-Stock Skylight Shade<sup>1</sup>

Room Darkening

Skylight Model	Code	Price
VSS/VSE/VS	FSCH	\$450
FS	FSCD	\$450
VCS/VCE/VCM/QPF	FSCC	\$450
FCM	FSCC	\$450*

1045 White

\* Shade accessory tray required for FCM shade options, see page 18. FCM shade and accessory tray are available for a combined price of \$490 - call customer service for processing.

#### Special Order Skylight Shade Options<sup>2</sup>

Room Darkening & Light Filtering



Skylight Model	Code - Room Darkening	Code - Light Filtering	Price
VSS/VSE/VS	FSCH	FSLH	\$525
FS	FSCD	FSLD	\$525
VCS/VCE/VCM/QPF	FSCC	FSLC	\$525
FCM	FSCC	FSLC	\$525*

\* Shade accessory tray required for FCM shade options, see page 18. FCM shade and accessory tray are available for a combined price of \$565 - call customer service for processing.

### Manual Roof Window Shades

Ships separately from Roof Window

Order Code Example

FHC CK06 1045  
shade code + model size + shade color

#### In-Stock Roof Window Shade Options<sup>1</sup>

Room Darkening, Double Pleated

Roof Window Model	Code	Price
GPU/GXU/GGU	FHC	\$260
GDL <sup>3</sup>	FHC	\$520

1045 White

Light Filtering, Single Pleated

Roof Window Model	Code	Price
GPU/GXU/GGU	FHL	\$260
GDL <sup>3</sup>	FHL	\$520

1016 White

Venetian

Roof Window Model	Code	Price
GPU/GXU/GGU	PAL	\$260
GDL <sup>3</sup>	PAL	\$520

7001 White

Slats measure 1.375"

#### Special Order Roof Window Shade Options<sup>2</sup>

Room Darkening & Light Filtering

Roof Window Model	Code - Room Darkening	Code - Light Filtering	Price
GPU/GXU/GGU	FHC	FHL	\$335
GDL <sup>3</sup>	FHC	FHL	\$670

<sup>1</sup> In-Stock: Solar skylight shades are sold separately (2-4 business days) and/or factory installed as a part of VELUX Skylight Systems. Custom sizes are sold separately as special order. Manual roof window shades not eligible for factory installation. <sup>2</sup> Special Order: No factory installation for special order skylight or roof window shades. Shades ship separately: skylights 14 business days and roof windows up to 8 weeks. <sup>3</sup> GDL requires two shades, one each for top and bottom windows.

## Custom-Sized Acrylic Double Dome



**FXG Acrylic Double Dome**

- Custom sizes available, call 800-888-3589 for pricing
- Neutral gray exterior color
- Encapsulated inner frame is 100% thermally broken

### Standard Sizes – FXG

(W-in. x H-in.)	225225	225465	305305	345345	465465
					
Outside Curb	25 1/2 x 25 1/2	25 1/2 x 49 1/2	33 1/2 x 33 1/2	37 1/2 x 37 1/2	49 1/2 x 49 1/2
Maximum Skylight Clearance	27 1/16 x 27 1/16	27 1/16 x 51 1/16	35 1/16 x 35 1/16	39 1/16 x 39 1/16	51 1/16 x 51 1/16

### Glazing

	225225	225465	305305	345345	465465
Clear over clear Code <b>0A1A1</b>	\$339/S	\$450/S	\$494/S	\$571/S	\$753/S
Clear over white Code <b>0A1A2</b>	\$346/R	\$478/R	\$501/R	\$578/R	\$801/R

Please contact Customer Service 800-888-3589 for sizes above in bronze over clear glazing.

## Hatch CXP with Polycarbonate Top Cover ISD

(Both are required)



**CXP Hatch with ISD Polycarbonate Protective Cover**

- Opens manually up to 60° for roof access.
- Highly impact resistant domed polycarbonate outer with inner laminated glass pane for added safety, sound control, and thermal protection.
- Insulated PVC frame.

### Standard Sizes – CXP/ISD

(W-in. x H-in.)	090120	100100	120120
			
Rough Opening	35 7/16 x 47 1/4	39 3/8 x 39 3/8	47 1/4 x 47 1/4
Exterior Frame	42 1/2 x 54 5/16	46 7/16 x 46 7/16	54 5/16 x 54 5/16

### CXP Hatch Base Unit

ISD Top Cover required when purchasing CXP hatch base unit

Standard Sizes	090120	100100	120120
Code <b>0473Q</b>   Delivery G	\$1,256	\$1,200	\$1,414

### ISD Top Cover

Standard Sizes	090120	100100	120120
Code <b>0010</b>   Delivery G	\$377	\$341	\$443

Note: Must order both base unit and top cover to make a complete skylight unit. Base and cover will ship and invoice separately.

## Fixed Base with CurveTech Glass Cover



**CFU Fixed Base with ISU CurveTech Protective Top Cover**



**CFU Fixed Base**

- Laminated thermal pane for added safety, sound control, and thermal protection.



**ISU CurveTech Protective Top Cover**

- CurveTech glass lets rainwater easily roll off for a clean look while preventing leaks.
- Tempered glass is virtually scratch-proof, providing a durable layer of protection.
- Unique curved glass with a modern and innovative design.

### Standard Sizes – CFU/ISU

(W-in. x H-in.)	060060	080080	090060	120090	120120
					
Rough Opening	23 11/16 x 23 11/16	31 9/16 x 31 9/16	35 1/2 x 23 11/16	47 5/16 x 35 1/2	47 5/16 x 47 5/16
Exterior Frame	32 1/16 x 32 1/16	39 15/16 x 39 15/16	43 7/8 x 32 1/16	55 11/16 x 43 7/8	55 11/16 x 55 11/16

### Standard Sizes (continued)

(W-in. x H-in.)	090090	100100	150100	150150	200100
					
Rough Opening	35 1/2 x 35 1/2	39 7/16 x 39 7/16	59 1/8 x 39 7/16	59 1/8 x 59 1/8	78 3/4 x 39 7/16
Exterior Frame	43 7/8 x 43 7/8	47 13/16 x 47 13/16	67 1/2 x 47 13/16	67 1/2 x 67 1/2	87 3/16 x 47 13/16

## CFU Fixed Base Unit

ISU Top Cover required when purchasing CFU fixed base unit

Standard Sizes	060060	080080	090060	120090	120120
Code <b>0020Q</b>   Delivery G	\$390	\$483	\$458	\$639	\$709
Standard Sizes	090090	100100	150100	150150	200100
Code <b>0020Q</b>   Delivery N	\$600	\$639	\$719	\$1,127	\$1,194

## ISU Top Cover

Standard Sizes	060060	080080	090060	120090	120120
Code <b>1093</b>   Delivery G	\$499	\$552	\$531	\$708	\$772
Standard Sizes	090090	100100	150100	150150	200100
Code <b>1093</b>   Delivery N	\$596	\$661	\$803	\$1,190	\$1,183

Note: Must order both base unit and top cover to make a complete skylight unit. Base and cover will ship and invoice separately.

# Roof Windows – Top-Hinged GPU



## GPU Top-hinged Roof Window

- Pre-finished white interior frame.
- Designed for in-reach applications, such as bonus rooms or attics.
- **Stocked GPU units are for roofs with a maximum of 55° roof pitch.** Roofs with a pitch greater than 55° need to order GPU units with special springs for an additional \$100 per unit.



Opens to a maximum of 45° to satisfy egress requirements for emergency escape. (MK06, MK08, PK10, SK06, UK08 meet egress requirements. CK04, CK06, MK04 do not meet egress requirements.) Check your local codes for compliance.



Add a Manual Shade: White, Room-Darkening, Double-Pleated See accessories on the next page. For more shade color options, see special order shade options on page 19.

Standard Sizes	CK04	CK06	MK04	MK06	MK08	PK10	SK06	UK08
Outside Frame (W" x H")	21 5/8 x 38 1/2	21 5/8 x 46 3/8	30 11/16 x 38 1/2	30 11/16 x 46 3/8	30 11/16 x 55	37 1/16 x 63	44 7/8 x 46 3/8	52 3/4 x 55 1/16
Rough Opening (W" x H")	22 1/8 x 39	22 1/8 x 46 7/8	31 1/4 x 39	31 1/4 x 46 7/8	31 1/4 x 55 1/2	37 5/8 x 63 1/2	45 3/8 x 46 7/8	53 1/4 x 55 1/2

Base Model	CK04	CK06	MK04	MK06	MK08	PK10	SK06	UK08
Laminated Glass Code 0070   Delivery T	\$1044	\$1,113	\$1,104	\$1,184	\$1,269	\$1,594	\$1,419	\$1,763

Flashing	CK04	CK06	MK04	MK06	MK08	PK10	SK06	UK08
Step Flashing Asphalt Shingles, Wood Shakes, or Slate Up to 1/2 inch maximum thickness Code EDL   Delivery T	\$129	\$129	\$151	\$151	\$151	\$180	\$189	\$204
High Profile Flashing Tile - Over 3/4 inch thickness Code EDW   Delivery T	\$214	\$214	\$252	\$252	\$252	\$300	\$315	\$340

All cladding components for roof windows are included in the flashing box. If VELUX flashing is not used, then ZWC cladding pieces must be ordered. Call Customer Service for pricing on Flashing Kits available for when replacing old Roof Windows with new Roof Windows.

Accessories	CK04	CK06	MK04	MK06	MK08	PK10	SK06	UK08
Manual Shade White, Room-Darkening, Double-Pleated Code FHC 1045SWL   Delivery T				\$260				
Manual Shade White, Light-Filtering, Single-Pleated Code FHL 1016SWL   Delivery T				\$260				
Manual Shade White Venetian Code PAL 7001SWL   Delivery T				\$260				
Insect Screen Code ZIL 0000SWL   Delivery T				\$149				

# Roof Windows – Roof Access GXU



## GXU Roof Access Window

- Pre-finished white interior frame.
- Opens 90° for easy access to the outdoors.
- Designed for in-reach applications.



FK06 satisfies egress requirements for emergency escape. (CK06 size does not meet requirements for emergency escape.) Check your local codes for compliance.



Add a Manual Shade: White, Room-Darkening, Double-Pleated See accessories on the next page. For more shade color options, see special order shade options on page 19.

Standard Sizes	CK06	FK06
Outside Frame (W" x H")	21 5/8 x 46 3/8	26 x 46 3/8
Rough Opening (W" x H")	22 1/8 x 46 7/8	26 1/2 x 46 7/8

Base Model	CK06	FK06
Laminated Glass Code 0070   Delivery T	\$1,168	\$1,202

Flashing	CK06	FK06
Step Flashing Asphalt Shingles, Wood Shakes, or Slate Up to 1/2 inch maximum thickness Code EDL   Delivery T	\$129	\$144
High Profile Flashing Tile - Over 3/4 inch thickness Code EDW   Delivery T	\$214	\$239

All cladding components for roof windows are included in the flashing box. If VELUX flashing is not used, then ZWC cladding pieces must be ordered.

Accessories	CK06	FK06
Manual Shade White, Room-Darkening, Double-Pleated Code FHC 1045SWL   Delivery T		\$260
Manual Shade White, Light-Filtering, Single-Pleated Code FHL 1016SWL   Delivery T		\$260
Manual Shade White Venetian Code PAL 7001SWL   Delivery T		\$260
Insect Screen Code ZIL 0000SWL   Delivery T		\$149

# Roof Windows – Balcony GDL



## GDL Balcony Roof Window

- Lacquered pine interior frame.
- Dual-sash operation: top opens for ventilation and bottom opens outward to create a roof balcony.
- When the GDL Balcony Roof Window is closed, a ventilation flap can be opened to provide a breath of fresh air, even if it is raining outside.
- For in-reach application only.



GDL can meet emergency escape egress requirements. Check your local codes for compliance.



Add a Manual Shade: White, Room-Darkening, Double-Pleated See accessories on the next page. For more shade color options, see special order shade options on page 19.

### Standard Sizes



Outside Frame (W" x H")

MK19



30 3/4 x 99 1/4

PK19



37 1/16 x 99 1/4

Rough Opening (W" x H")

33 1/16 x 101

39 3/8 x 101

### Base Model

Laminated Glass/Aluminum  
Code 3066 | Delivery T

MK19

\$3,711

PK19

\$5,844

### Flashing

Step Flashing  
Asphalt Shingles, Wood Shakes, or Slate  
Up to 1/2 inch maximum thickness  
Code EDL | Delivery T

MK19

\$156

PK19

\$180

High Profile Flashing  
Tile - Over 3/4 inch thickness  
Code EDW | Delivery T

\$260

\$300

### Accessories

Manual Shade<sup>1</sup>  
White, Room-Darkening, Double-Pleated  
Code FHC SD1045SWL | Delivery T

MK19

\$520

PK19

Manual Shade<sup>1</sup>  
White, Light-Filtering, Single-Pleated  
Code FHL SD1016SWL | Delivery T

\$520

Insect Screen<sup>2</sup>  
Insect Screen, Black Mesh  
Code ZIL SD0000SWL | Delivery T

\$352

<sup>1</sup> Shade price includes two shades, one each for top and bottom windows. <sup>2</sup> Includes two insect screens and a connector.

# Roof Windows – Center-Pivot GGU



## GGU Center-Pivot Roof Window

- Pre-finished white interior frame.
- Easy to open and quick to close with the top control bar.
- For in-reach application only.



Add a Manual Shade: White, Room-Darkening, Double-Pleated See accessories on the next page. For more shade color options, see special order shade options on page 19.

### Standard Sizes



Outside Frame (W" x H")

Rough Opening (W" x H")

CK02 CK04 CK06 FK04 FK06 FK08 MK04 MK06 MK08 MK10 PK06 PK08 PK10 SK06 SK08 UK04 UK08



21 5/8 x 30 5/8 21 5/8 x 38 1/2 21 5/8 x 46 3/8 26 x 38 1/2 26 x 46 3/8 26 x 55 1/16 30 1/4 x 38 1/2 30 1/4 x 46 3/8 30 1/4 x 55 1/16 30 1/4 x 63 37 1/8 x 46 3/8 37 1/8 x 55 1/16 37 1/8 x 63 44 7/8 x 46 3/8 44 7/8 x 55 1/16 52 3/4 x 38 1/2 52 3/4 x 55 1/16

22 1/8 x 31 1/8 22 1/8 x 39 22 1/8 x 46 7/8 26 1/2 x 39 26 1/2 x 46 7/8 26 1/2 x 55 1/2 31 1/4 x 39 31 1/4 x 46 7/8 31 1/4 x 55 1/2 31 1/4 x 63 1/2 37 5/8 x 46 7/8 37 5/8 x 55 1/2 37 5/8 x 63 1/2 45 3/8 x 46 7/8 45 3/8 x 55 1/2 53 1/4 x 39 53 1/4 x 55 1/2

### Base Model

Laminated Glass  
Code 0070 | Delivery N

CK02 CK04 CK06 FK04 FK06 FK08 MK04 MK06 MK08 MK10 PK06 PK08 PK10 SK06 SK08 UK04 UK08

\$711 \$762 \$812 \$812 \$871 \$930 \$806 \$864 \$926 \$980 \$974 \$1061 \$1,164 \$1,036 \$1,178 \$1,164 \$1,287

### Flashing

Step Flashing  
Code EDL | Delivery T

CK02 CK04 CK06 FK04 FK06 FK08 MK04 MK06 MK08 MK10 PK06 PK08 PK10 SK06 SK08 UK04 UK08

\$129 \$129 \$129 \$144 \$144 \$144 \$151 \$151 \$151 \$151 \$180 \$180 \$180 \$189 \$189 \$204 \$204

High Profile Flashing  
Code EDW | Delivery T

\$214 \$214 \$214 \$239 \$239 \$239 \$252 \$252 \$252 \$252 \$300 \$300 \$300 \$315 \$315 \$340 \$340

All cladding components for roof windows are included in the flashing box. If VELUX flashing is not used, then ZWC cladding pieces must be ordered. Call Customer Service for pricing on Flashing Kits available for when replacing old Roof Windows with new Roof Windows.

### Accessories

Manual Shade  
White, Room Darkening, Double-Pleated  
Code FHC 1045SWL | Delivery T

CK02 CK04 CK06 FK04 FK06 FK08 MK04 MK06 MK08 MK10 PK06 PK08 PK10 SK06 SK08 UK04 UK08

\$260N \$260 \$260 \$260N \$260 \$260 \$260N \$260 \$260 \$260 \$260N \$260N \$260 \$260 \$260N \$260 \$260

Manual Shade  
White, Light-Filtering, Single-Pleated  
Code FHL 1016SWL | Delivery T

\$260N \$260 \$260 \$260N \$260 \$260 \$260N \$260 \$260 \$260N \$260N \$260N \$260 \$260 \$260N \$260 \$260

Manual Shade  
White Venetian  
Code PAL 7001SWL | Delivery T

\$260 \$260 \$260 \$260 \$260 \$260 \$260 \$260 \$260 \$260 \$260 \$260 \$260 \$260 \$260 \$260 \$260

Insect Screen  
Code ZIL 0000SWL | Delivery T

\$149 \$149 \$149 \$149N \$149 \$149 \$149N \$149 \$149 \$149N \$149N \$149N \$149 \$149 \$149N \$149 \$149

## Domed



### Standard Sizes

	TGF 014	TGF 022	TGR 010	TGR 014	TGR 022	TMF 014	TMR 010	TMR 014	TCR 014	TLR 014	TZRQ 014	TZR 014	TZRL 014	
Roof Pitch	14° - 60° 3:12 - 20:12		14° - 60° 3:12 - 20:12			14° - 60° 3:12 - 20:12		14° - 60° 3:12 - 20:12		0° - 60° 0:12 - 20:12	14° - 60° 3:12 - 20:12	10° - 60° 2:12 - 20:12	0° - 60° 0:12 - 20:12	10° - 60° 2:12 - 20:12
Rough Opening – Ceiling (Inches)	15 1/4	22 3/4	11 1/4	15 1/4	22 3/4	15 1/4	11 1/4	15 1/4	15 1/4	15 1/4	15 1/4	15 1/4	15 1/4	
Rough Opening – Roof Deck <sup>1</sup> (W-in. x H-in.)	14 1/2 x 18	22 1/2 x 26	12 1/2 x 16	14 1/2 x 18	22 1/2 x 26	14 1/2 x 14 1/2	12 1/2 x 16	14 1/2 x 18	–	14 1/2 x 17 3/4	14 1/2 x 14 1/2	14 1/2 x 14 1/2	14 1/2 x 14 1/2	
Outside Curb Dimensions <sup>2</sup> (W-in. x H-in.)	–	–	–	–	–	–	–	–	20 3/8 x 20 3/8	–	–	17 1/2 x 17 1/2	17 1/2 x 17 1/2	
Tube Length Included with Kit (Feet)	8	8	4	4	4	8	4	4	4	4	4'4"	5'4"	5'4"	
Maximum Recommended Install Length (Feet)	8	12	20	30	40	8	20	30	30	30	30	30	30	

<sup>1</sup> Roof deck rough opening height dependent on roof pitch, refer to installation instructions for proper measurement. <sup>2</sup> Including roofing materials.


### Dome & Glass Options

	TGF 014	TGF 022	TGR 010	TGR 014	TGR 022	TMF 014	TMR 010	TMR 014	TCR 014	TLR 014	TZRQ 014	TZR 014	TZRL 014
Acrylic Dome Code 0000   Delivery S	\$421	\$565	\$326	\$457	–	\$416	\$326	\$457	\$520	–	–	–	–
Acrylic Dome Code S0000   Delivery F	–	–	–	–	\$835 <sup>3</sup>	–	–	–	–	–	–	–	–
Impact Dome Code 1000   Delivery S	\$447	\$600	\$352	\$483	–	\$442	\$352	\$483	\$546	–	–	–	–
Impact Dome Code S1000   Delivery F	–	–	–	–	\$871 <sup>3</sup>	–	–	–	–	–	–	–	–
Flat Glass Code 2000   Delivery S	–	–	–	–	–	–	–	–	–	\$653	–	–	–
Wildfire Glass Code 2A00   Delivery F	–	–	–	–	–	–	–	–	–	–	\$550	\$552	\$611
Impact Glass Code 1A00   Delivery T	–	–	–	–	–	–	–	–	–	–	\$576	\$578	\$637

<sup>3</sup> Ships in multiple boxes.

## Free light. Day or night.

Designed to fit inside the rigid tube of a VELUX Sun Tunnel skylight, the **VELUX Solar Night Light** gives off a soft, soothing glow from above when natural light isn't available. The night light's solar panel collects available sunlight, even on cloudy days, to power its rechargeable batteries.



Order Code Example **TMR** + **010** + **0000** + **SL**  
product size code light

Fire resistant tempered diamond wire glass meets Class A Burn Brand Test ASTM E108. Laminated hurricane glass meets Florida Product Approval #6393.

## Tube



### Rotation Coupler

Enables quick elbow connections when getting around obstacles in the attic is required.

Model	10"	14"	22"	Delivery
ZTZ 211	\$52	\$57	N/A	S



### Elbows

Can be used at bottom, middle, or top of your installation. Can form a 90 degree bend using multiple elbows with rotating couplers.

Model	10"	14"	22"	Delivery
ZTE 0000	\$65	\$91	\$139	S



### Rigid Tube

24" reflective tube sections. Available in bulk.

Model	10"	14"	22"	Delivery
ZTR 2' 1 unit	\$52	\$73	\$108	S
ZTR 4' 2 units	\$101	\$140	\$204	S
ZTR 6' 3 units	\$135	\$184	\$274	S
ZTR 12' 6 units	\$239	\$334	\$412	S
ZTR 24' 12 units	\$426	\$606	\$781	S



### Suspension Wire Kit

12-gauge wire and fastener set to secure longer tube sections.

Model	All Models	Delivery
ZTZ 203	\$32	F

## Flashing



### Curb-Mounted Flashing Tile

Install on tile roofing material over 3/4" thickness for roof pitch 14-60° for TCR and TZR models.

Sun Tunnel	Flashing Model	14"	Delivery
TCR	ECW 014 0000	\$239	S
TZR	ECW 014Z 0000	\$196	F

## Lighting



### Solar Night Light

Provides low level light. Available for rigid tube only.

Model	All Models	Delivery
ZTZ 213	\$40	S



### Daylight Controller

Motorized variable positioning daylight control device. Requires ZZZ 233 Power Supply.

Model	10"	14"	22"	Delivery
ZTP	N/A	\$339	\$397	F



### Power Supply

Power supply for control devices.

Model	Delivery
ZZZ 233	\$187 F



### Universal Electric Light Kit

Designed to let Sun Tunnel skylight be a source of light at night and during the day.

Model	10"	14"	22"	Delivery
ZTL 114	\$68	\$68	N/A	S
ZTL 122	N/A	N/A	\$76	S



### Diffusion Enhancer

**Discontinued While Supplies Last**

Highly reflective obscure 6" band designed to diffuse direct sunlight.

Model	10"	14"	22"	Delivery
ZTZ 209	\$72	\$74	\$77	S

## Performance Enhancing



### Energy Kit

Designed to increase energy efficiency; includes a thermal plate and a diffusing disc.

Model	10"	14"	22"	Delivery
ZTC 0051US	\$53	\$66	N/A	S
ZTC 0041US	N/A	N/A	\$83	S



### Exterior Fire Band

Designed to meet fire prevention requirements of building codes. Not available for TSR 10".

Model	10"	14"	22"	Delivery
ZZZ 192	\$102	\$111	\$122	F



### Vapor Barrier

Designed for protecting flashing components and ceiling opening from condensation.

Model	10"	14"	22"	Delivery
ZTY	\$65	\$65	\$65	T

### Decorative Diffusers

Simple way to enhance your ceiling and ensure that your diffuser film matches the décor and feel of the room.

Model	10"	14"	Delivery
Micro Fresnel ZTB 4004US	\$23	\$38	S
Triple Wave ZTB 4005US	\$23	\$38	S
Brushed Metal ZTB 4006US	\$23	\$38	S
Prismatic ZTB 4007US	\$23	\$38	S
Neutral Light ZTB 4009US	\$23	\$38	S

Transforming spaces since 1941. For over 80 years, VELUX has helped people envision and achieve the transformation of spaces using daylight and fresh air through the roof. Our product program includes skylights, Sun Tunnel® skylights, decorative shades and roof windows, as well as installation and smart home solutions. By creating brighter, healthier, more sustainable places to live, work, learn, and play we enable a better everyday life for people around the world. We work globally with sales and manufacturing operations in more than 40 countries and around 11,500 employees worldwide. The VELUX Group is owned by VKR Holding A/S, a limited company wholly owned by non-profit, charitable foundations (THE VELUX FOUNDATIONS) and family.

For more information, visit [veluxusa.com](http://veluxusa.com).



VELUX America LLC  
215 Puckett Ferry Road  
PO Box 5001  
Greenwood, SC 29648-5001

1-800-888-3589

[veluxusa.com](http://veluxusa.com)